

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12658	(number\$1 serial\$1) and hash\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:11
L2	5460	l1 and (encrypt\$4 encipher\$8 cipher\$8 encod\$3 crypto cryptographic\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:33
L3	969	l2 and (multiplex\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:41
L4	87	l3 and (resistor\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:34
L5	68	l4 and (gate\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:34
L6	66	L5 AND (PASSWORD\$1 PASSCODE\$1 PASSPHRASE\$1 CODE\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:29
L7	57	L6 AND (MANUFACTUR\$3 SUPPLIER\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:28
L8	41	L7 AND HOST\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:16
L9	35	L8 AND KEY\$1	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:34
L10	34	L9 AND SWITCH\$2	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:17
L11	30493	(REQUEST\$3 COMMUNICAT\$4 OBTAIN\$3) NEAR4 (MANUFACTUR\$3 SUPPLIER\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:29
L12	832922	((SERIAL ID IDENTIFICATION\$1 IDENTITY IDENTIFIER\$1) NEAR NUMBER\$1) IDENTIFIER\$1 PASSWORD\$1 PASSCODE\$1 PASSPHRASE\$1 CODE\$1 PIN	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:33
L13	8495	L11 AND L12	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:33
L14	243	L11 NEAR3 L12	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:33
L15	133	l14 and (encrypt\$4 encipher\$8 cipher\$8 encod\$3 crypto cryptographic\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:29
L16	19	l15 and (multiplex\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:41
L17	2	l16 and (resistor\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:34
L18	1	l17 and (gate\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:34
L19	1	L18 AND KEY\$1	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:38

L20	0	I16 AND HASH\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:30
L21	6	I15 AND HASH\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 12:38
L22	6	L21 AND KEY\$1	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:30
L23	6886	((705/56) or (705/78) or (380/228) or (380/277) or (380/282) or (380/285) or (380/28) or (380/29) or (380/30) or (709/216) or (709/219) or (713/171) or (713/200) or (713/201) or (713/202)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:29
L24	234	I23 and I11	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:29
L25	183	I24 and (encrypt\$4 encipher\$8 cipher\$8 encod\$3 crypto cryptographic\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:29
L26	171	I25 and I12	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:29
L27	46	I26 AND HASH\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:51
L28	3	I27 and (multiplex\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:30
L29	3	L28 AND KEY\$1	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:30
L30	18268	(OR\$1 near gate\$1) and (multiplex\$4)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:42
L31	945	I30 and (pull near2 resistor\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:42
L32	834	I31 and switch\$2	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:42
L33	483	I32 and (power near supply\$3)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:43
L34	418	I33 and (compar\$6)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:43
L35	50	I34 and bond\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:44
L36	0	I34 and (bond\$3 near option\$1)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:45
L37	40	I35 and (non-volatile\$1 nonvolatile\$1 rom nvram nvrom)	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:46
L38	2	I37 and I11	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:51
L39	40	I37 and I12	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:51

L40	0	I39 AND HASH\$3	USPAT; IBM_TDB	OR	OFF	2005/04/14 13:51
-----	---	-----------------	-------------------	----	-----	------------------